

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

1.74442
L8D71Bsw
Apr. 1

Domestic wool: Weekly average prices at Boston, 1941
(Cents per pound)
Scoured basts

LIBRARY
RECEIVED
★ NOV 25 1943

Week ended	Semi-bright fleece 1/										Bright fleece 2/									
	64's	70's	80's	58's	60's	56's	48's	50's	46's	Low	64's	70's	80's	58's	60's	56's	48's	50's	46's	Low
	Fine	Fine	Fine	1/2 blood	3/8 blood	1/4 blood	combing	combing	combing	combing	Fine	Fine	Fine	1/2 blood	3/8 blood	1/4 blood	combing	combing	combing	combing
	combing	combing	clothing	combing	combing	combing	combing	combing	combing	combing	combing	combing	clothing	combing	combing	combing	combing	combing	combing	combing
	(Staple)										(Delaine)									Braid
Jan. 4	106.0	97.5	97.5	82.5	78.5	76.5	111.0	99.5	100.5	83.5	79.0	78.5	74.0							
11	106.0	97.5	97.5	82.5	78.5	76.5	111.0	99.5	100.5	84.5	79.0	80.0	74.0							
18	106.0	97.5	97.5	81.5	77.5	76.5	111.0	99.5	100.5	83.5	78.5	77.5	74.0							
25	106.0	97.5	97.5	81.5	77.5	76.5	108.5	99.5	100.5	83.5	78.5	77.5	74.0							
Feb. 1	105.0	94.5	97.5	81.5	77.5	76.5	107.5	97.5	100.5	83.5	78.5	77.5	74.0							
8	105.0	94.5	97.5	81.5	77.5	76.5	107.5	97.5	100.5	83.5	78.5	77.5	74.0							
15	105.0	94.5	97.5	81.5	77.5	76.5	107.5	97.5	99.5	83.5	78.5	77.5	74.0							
22	105.0	94.5	97.5	82.5	77.5	76.5	107.5	97.5	99.5	83.5	78.5	77.5	74.0							
Mar. 1	105.0	94.5	97.5	82.5	77.5	76.5	107.5	97.5	99.5	83.5	78.5	77.5	74.0							
8	105.0	94.5	97.5	82.5	77.5	76.5	107.5	97.5	99.5	83.5	78.5	77.5	74.0							
15	105.0	94.5	97.5	82.5	77.5	76.5	107.5	97.5	99.5	83.5	78.5	77.5	74.0							
22	105.0	94.5	97.5	82.5	77.5	76.5	107.5	97.5	99.5	83.5	78.5	77.5	74.0							
29	105.0	94.5	97.5	82.5	77.5	76.5	107.5	97.5	99.5	83.5	78.5	77.5	74.0							
Apr. 5	105.0	94.5	97.5	82.5	77.5	76.5	107.5	97.5	99.5	83.5	78.5	77.5	74.0							
12	105.0	94.5	97.5	82.5	77.5	76.5	107.5	97.5	99.5	84.0	79.5	77.5	74.0							
19	104.5	94.5	97.5	83.5	78.5	76.5	107.5	97.5	99.5	84.5	80.5	77.5	74.0							
26	104.5	94.5	97.5	84.5	80.0	76.5	106.5	97.5	99.5	86.0	82.0	77.5	74.0							
May 3	104.5	94.5	97.5	84.5	80.0	76.5	106.5	97.5	99.5	86.0	82.0	77.5	74.0							
10	104.5	94.5	97.5	84.5	80.0	76.5	106.5	97.5	99.5	86.0	82.0	77.5	74.0							
17	104.5	94.5	97.5	86.0	81.5	77.5	106.5	97.5	99.5	87.0	83.5	78.5	74.0							
24	104.5	94.5	97.5	86.0	81.5	77.5	107.5	97.5	99.5	87.0	83.5	78.5	74.0							
31	104.5	94.5	97.5	86.0	81.5	77.5	107.5	97.5	99.5	87.0	83.5	78.5	74.0							
June 7	104.5	94.5	97.5	86.0	81.5	77.5	107.5	97.5	99.5	87.0	83.5	78.5	74.0							
14	104.5	94.5	97.5	86.0	81.5	77.5	107.5	97.5	99.5	87.0	83.5	78.5	74.0							
21	104.5	94.5	97.5	86.0	81.5	77.5	107.5	97.5	99.5	88.5	83.5	78.5	74.0							
28	104.5	94.5	97.5	86.0	81.5	77.5	107.5	97.5	99.5	88.5	83.5	78.5	74.0							

1/ Wools that are somewhat dark in color and of moderately heavy shrinkage. Nearly all of the wools grown in the farm land areas of the Dakotas, Nebraska, Kansas, and Oklahoma are of this type. Semi-bright wools are also grown in parts of Minnesota, Wisconsin, Iowa, and Missouri. 2/ Wools that are bright in color and of relatively light shrinkage. Nearly all of the wools grown in the states east of the Mississippi River are of this type. Bright wools are also grown in parts of Minnesota, Iowa, and Missouri. Wools from Kentucky, Virginia, and Tennessee usually bring prices 1 to 3 cents per pound, grease basis, above other bright fleeces because of their lighter shrinkage.

Domestic wool: Weekly average prices at Boston, 1941

(Cents per pound)

Scoured basis

Week ended	Semi-bright fleece 1/				Bright fleece 2/			
	64's	70's	80's	56's	48's	50's	46's	36's
	Fine	Fine	Fine	1/2 blood	1/4 blood	1/4 blood	Low	44's
	combing	combing	combing	combing	combing	combing	combing	Common and Braid
	(Staple)							
July 5	104.5	94.5	86.0	81.5	79.0	107.5	97.5	80.0
12	104.5	94.5	86.0	81.5	79.0	107.5	97.5	80.0
19	104.5	94.5	86.0	81.5	79.0	107.5	97.5	80.0
26	104.5	94.5	86.0	81.5	79.0	107.5	97.5	80.0
Aug. 2	104.5	94.5	86.0	81.5	79.0	107.5	97.5	80.0
9	104.5	94.5	86.0	81.5	79.0	107.5	97.5	80.0
16	104.5	94.5	86.0	81.5	79.0	107.5	97.5	80.0
23	104.5	94.5	86.0	81.5	79.0	107.5	97.5	80.0
30	104.5	94.5	86.0	81.5	79.0	107.5	97.5	80.0
Sept. 6	104.5	94.5	86.0	81.5	79.0	107.5	97.5	80.0
13	104.5	94.5	86.0	81.5	79.0	107.5	97.5	80.0
20	104.5	94.5	86.0	81.5	79.0	107.5	97.5	80.0
27	104.5	94.5	86.0	81.5	79.0	107.5	97.5	80.0
Oct. 4	104.5	94.5	86.0	81.5	79.0	107.5	97.5	80.0
11	104.5	94.5	86.0	81.5	79.0	107.5	97.5	80.0
18	104.5	94.5	86.0	81.5	79.0	107.5	97.5	80.0
25	106.5	96.5	86.5	83.5	80.5	108.5	98.5	85.0
Nov. 1	103.0	93.0	83.0	80.0	77.0	105.0	95.0	82.0
8	107.5	97.5	87.5	84.5	81.5	111.5	101.5	86.0
15	107.5	97.5	87.5	84.5	81.5	111.5	101.5	86.0
22	108.5	98.5	88.5	85.5	82.5	113.5	103.5	86.0
29	108.5	98.5	88.5	85.5	82.5	113.5	103.5	86.0
Dec. 6	108.5	98.5	88.5	85.5	82.5	113.5	103.5	86.0
13	108.5	98.5	88.5	85.5	82.5	113.5	103.5	86.0
20	110.0	101.5	90.5	87.5	84.5	115.0	105.5	86.0
27	110.0	101.5	90.5	87.5	84.5	115.0	105.5	86.0
Jan. 3 '42	110.0	101.5	90.5	87.5	84.5	115.0	105.5	86.0

1/Wools that are somewhat dark in color and of moderately heavy shrinkage. Nearly all of the wools grown in the farm land areas of the Dakotas, Nebraska, Kansas, and Oklahoma are of this type. Semi-bright wools are also grown in parts of Minnesota, Wisconsin, Iowa, and Missouri.

2/Wools that are bright in color and of relatively light shrinkage. Nearly all of the wools grown in the states east of the Mississippi River are of this type. Bright wools are also grown in parts of Minnesota, Iowa, and Missouri. Wools from Kentucky, Virginia, and Tennessee usually bring prices 1 to 3 cents per pound, grease basis, above bright fleeces because of their lighter shrinkage.

422
D71BSW
serve

Domestic wool: Weekly average prices at Boston, 1941
(Cents per pound)
Scoured basis

LIBRARY
RECEIVED
★ NOV 25 1943 ★
U. S. Department of Agriculture

Week ended	Territory 1/												Fine Texas 2/ (Original bags)	
	64's, 70's, 80's	58's, 60's	56's	48's, 50's	46's	44's	42's	40's	Combing (12 months)	French combing (8 months)	French combing (Fall)	Staple	Staple	
	Fine combing	Fine combing	Fine combing	1/2 blood combing	1/2 blood combing	3/8 blood combing	3/8 blood combing	1/4 blood combing	1/4 blood combing	Low Common and braid				
Jan. 4	108.5	103.5	96.5	103.0	98.5	91.5	86.5	81.5	81.5	79.5	76.0	102.5	90.5	81.5
11	108.5	103.5	96.5	103.0	98.5	91.5	86.5	81.5	81.5	79.5	76.0	102.5	90.5	81.5
18	108.5	103.5	96.5	103.0	98.5	91.5	86.5	81.5	81.5	79.5	76.0	102.5	90.5	81.5
25	108.5	103.5	96.5	103.0	98.5	91.5	86.5	81.5	81.5	79.5	76.0	102.5	90.5	81.5
Feb. 1	106.5	100.5	96.0	101.5	98.5	91.5	86.5	81.5	81.5	79.5	76.0	102.5	90.5	81.5
8	106.5	100.5	96.0	101.5	98.5	91.5	86.5	81.5	81.5	79.5	76.0	102.5	90.5	81.5
15	106.5	99.5	96.0	100.0	96.0	91.5	86.5	81.5	81.5	79.5	76.0	102.5	90.5	81.5
22	108.5	102.5	97.5	100.0	96.0	91.5	86.5	81.5	81.5	79.5	76.0	105.5	95.5	83.5
Mar. 1	108.5	102.5	97.5	100.0	96.0	91.5	86.5	81.5	81.5	79.5	76.0	105.5	95.5	83.5
8	108.5	102.5	97.5	100.0	96.0	91.5	86.5	81.5	81.5	79.5	76.0	105.5	95.5	83.5
15	108.5	102.5	97.5	100.0	96.0	91.5	86.5	81.5	81.5	79.5	76.0	105.5	95.5	83.5
22	108.5	102.5	97.5	100.0	96.0	91.5	86.5	81.5	81.5	79.5	76.0	105.5	95.5	83.5
29	108.5	102.5	97.5	102.5	98.5	93.5	89.0	83.5	83.5	79.5	76.0	106.5	97.5	83.5
Apr. 5	108.5	102.5	97.5	102.5	98.5	93.5	89.0	83.5	83.5	79.5	76.0	106.5	97.5	83.5
12	108.5	102.5	97.5	102.5	98.5	93.5	89.0	83.5	83.5	79.5	76.0	106.5	97.5	83.5
19	107.0	102.0	96.5	101.5	97.0	93.5	89.5	83.5	83.5	79.5	76.0	105.0	97.5	83.5
26	107.0	102.0	96.5	101.5	97.0	93.5	89.5	83.5	83.5	79.5	76.0	105.0	97.5	83.5
May 3	107.0	102.0	96.5	101.5	97.0	93.5	89.5	83.5	83.5	79.5	76.0	105.0	97.5	83.5
10	107.0	102.0	96.5	101.5	97.0	93.5	89.5	83.5	83.5	79.5	76.0	107.5	97.5	83.5
17	107.0	102.0	96.5	101.5	97.0	93.5	89.5	83.5	83.5	79.5	76.0	106.5	97.5	83.5
24	107.0	102.0	96.5	101.5	97.0	93.5	89.5	83.5	83.5	79.5	76.0	106.5	97.5	83.5
31	107.0	102.0	96.5	101.5	97.0	93.5	89.5	83.5	83.5	79.5	76.0	106.5	97.5	83.5
June 7	107.0	102.0	97.0	101.5	97.0	94.0	91.5	87.0	85.5	81.0	78.0	106.5	101.5	83.5
14	107.0	102.0	97.0	101.5	97.0	94.0	91.5	87.0	85.5	81.0	78.0	106.5	103.0	83.5
21	107.0	102.0	97.0	101.5	97.0	94.0	91.5	87.0	85.5	81.0	78.0	107.5	103.0	83.5
28	107.0	102.5	97.0	101.5	97.0	94.0	91.5	87.0	85.5	81.0	78.0	107.5	104.0	83.5

1/ Wools grown under range conditions in the range areas of Washington, Oregon, the Inter-Mountain states, including Arizona, and New Mexico, and in the range areas of the Dakotas, Nebraska, Kansas, and Oklahoma. Territory wools cover a wide range in shrinkage and in color.

2/ Wools grown under range conditions in the range areas of Texas. They are mostly bright in color and moderate in shrinkage except in the Panhandle district, where they are considerably darker in color and heavier in shrinkage.

Domestic wool: Weekly average prices at Boston, 1941
(Cents per pound)
Scoured basis

Week ended	Territory 1/										Fine Texas 2/ (Original bags)			
	64's, 70's, 80's		58's, 60's		56's		48's, 50's		46's		36's, 40's		French	
	Fine : combing: (Staple):	Fine : French : combing:	1/2 blood : combing: (Staple):	1/2 blood : French : combing:	3/8 blood : combing: (Staple):	3/8 blood : clothing : combing:	1/4 blood : combing : clothing :	1/4 blood : combing : clothing :	Low : combing : 1/4 blood:	Common : combing : 1/4 blood:	and braid:	Combing : (12 months)	Combing : (8 months)	Clothing : (Fall)
July 5	107.0	102.5	97.0	101.5	97.0	94.0	91.5	87.0	85.5	81.0	78.0	107.5	104.0	--
12	107.0	102.5	97.0	102.0	99.0	95.0	91.5	88.0	86.0	81.0	79.0	107.5	104.0	--
19	107.0	102.5	97.0	102.0	99.0	95.0	91.5	88.0	86.0	81.0	79.0	106.0	104.0	--
26	107.0	102.5	97.0	102.0	99.0	95.0	91.5	88.0	86.0	83.0	80.0	106.0	104.0	--
Aug. 2	107.0	102.5	97.0	102.0	99.0	95.0	91.5	88.0	86.0	83.0	80.0	106.0	104.0	--
9	107.0	102.5	97.0	102.0	99.0	95.0	91.5	88.0	86.0	83.0	80.0	106.0	104.0	--
16	107.0	102.5	97.0	102.0	99.0	95.0	91.0	88.0	86.0	83.5	84.0	105.0	104.0	--
23	107.0	102.5	97.0	102.0	99.0	95.0	89.5	88.0	86.0	83.5	84.0	105.0	104.0	--
30	107.0	102.5	97.0	102.0	99.0	95.0	89.5	88.0	86.0	83.5	84.0	105.0	104.0	--
Sept. 6	107.0	102.5	97.0	102.0	99.0	95.0	89.5	88.0	86.0	85.0	85.0	105.0	104.0	--
13	108.5	104.5	99.0	102.0	99.0	95.0	92.0	89.0	86.5	85.0	85.0	106.0	104.0	--
20	108.5	104.5	99.0	104.0	101.0	96.0	94.0	91.0	87.0	85.0	85.0	106.5	104.0	98.5
27	108.5	104.5	99.0	104.0	101.0	96.0	94.0	91.0	87.0	85.0	85.0	106.5	104.0	98.5
Oct. 4	108.5	104.5	99.0	104.0	101.0	96.0	94.0	91.0	87.0	85.0	85.0	106.5	104.0	98.5
11	108.5	104.5	99.0	104.0	101.0	96.0	94.0	91.0	87.0	85.0	85.0	106.5	104.0	98.5
18	108.5	104.5	100.0	104.0	101.0	97.0	95.0	92.0	87.0	85.0	85.0	107.5	104.0	98.5
25	111.0	107.5	102.5	106.0	102.5	97.0	95.5	92.0	88.5	85.0	85.0	109.0	105.0	98.5
Nov. 1	111.0	108.5	102.5	105.5	103.5	98.5	96.5	93.0	90.0	86.0	85.0	109.0	105.0	98.5
8	111.0	108.5	101.5	106.5	103.5	98.5	96.0	93.0	90.0	86.5	85.0	109.0	105.0	98.5
15	112.0	109.0	102.5	106.5	103.5	98.5	96.0	93.0	90.0	86.5	85.0	110.0	105.0	98.5
22	113.5	110.0	102.5	109.0	106.5	101.5	96.5	93.0	91.5	86.5	85.0	111.5	105.0	98.5
29	113.5	111.0	102.5	109.0	106.5	101.5	96.5	93.0	91.5	86.5	85.0	111.5	105.0	98.5
Dec. 6	113.5	111.0	102.5	109.0	106.5	101.5	96.5	93.0	91.5	86.5	85.0	111.5	105.0	98.5
13	116.0	111.5	102.5	109.0	106.5	101.5	96.5	93.0	91.5	86.5	85.0	112.5	106.5	98.5
20	116.0	111.5	102.5	109.0	107.0	101.5	97.0	93.0	91.5	86.5	85.0	112.5	106.5	98.5
27	116.0	111.5	102.5	109.0	107.0	101.5	97.0	93.0	91.5	86.5	85.0	112.5	106.5	98.5
Jan. 3/42	116.0	111.5	102.5	109.0	107.0	101.5	97.0	93.0	91.5	86.5	85.0	112.5	106.5	98.5

1/ Wools grown under range conditions in the range areas of Washington, Oregon, the Inter-Mountain States, including Arizona, and New Mexico, and in the range areas of the Dakotas, Nebraska, Kansas, and Oklahoma. Territory wools cover a wide range in shrinkage, and in color. 2/ Wools grown under range conditions in the range areas of Texas. They are mostly bright in color and moderate in shrinkage except in the Panhandle district, where they are considerably darker in color and heavier in shrinkage.

Agricultural Marketing Service
U. S. Department of Agriculture